

AD Summation iBlaze Form Fields Version 3.0

AD Summation iBlaze provides you with five default user forms for the **Core Database** that are based on two, pre-existing tables: **E-table** and **Stdtable**. A description of the fields already provided in those tables is described in the table below.

Warning! You should never modify system fields. System fields begin with a pound sign (#).

Note: AD Summation iBlaze makes certain fields that are stored in the **E-table** read-only by default. These fields are considered to be evidentiary, because they are filled in during an **eDiscovery** load. The following fields in the **E-table** are read-only by default: **APPLICAT, ATTRANGE, ATTITLE, ATTACHMT, ATTCHIDS, BODY, BCC, CC, DATESENT, DATERCVD, DATECRTD, DATESVD, DOCLINK, FOLDER, FROM, MEDIA, NUMATTCH, OTHERIDS, PARENTID, SUBJECT, and TO**. The read-only attribute on these fields applies to all new cases that you create and to the demonstration cases. If you would like to use some of these fields for a non-evidentiary purpose, please follow the steps listed in [Modifying the Read-only Attribute](#) in the *Summation Help System*

Description of AD Summation iBlaze Form Fields

Field	Data Type	Table (E-table or Stdtable)	Description/Purpose
#DATE	Date	E-table and Stdtable	System Field. Inserts the date the record is created.
#EXTRA1	Multi-Entry	E-table and Stdtable	System Field - Unassigned.
#EXTRA2	Note	E-table and Stdtable	System Field - Unassigned.
#HOTFACT	Multi-Entry	E-table and Stdtable	System Field. Inserts the login name of the user who flagged the record as a HotFact record.
#IMAGE	Integer	E-table and Stdtable	System Field. Is populated if an image file exists.
#LOGNAME	Note	E-table and Stdtable	System Field. Inserts the login name of the user who last updated the record.
#NAME	Note	E-table and Stdtable	System Field. Inserts the name of the user who created the record.
#OCR	Integer	E-table and Stdtable	System Field. Is populated if an OCR file was loaded into the ocrBase.
#RDCTD	Integer	E-table and Stdtable	System Field. Is populated if an image has been redacted.
#TIME	Time	E-table and Stdtable	System Field. Inserts the time the record was created.
#TOE	Double	E-table and Stdtable	System Field. Time of Entry (used in conjunction with the #UUID field for database merging).
#UPDATE	Date	E-table and Stdtable	System Field. Inserts the date the record was last updated.
#UPTIME	Time	E-table and Stdtable	System Field. Inserts the time the record was last updated.
#UUID	Text 32	E-table and Stdtable	System Field. Primary key system field used when merging databases.

AD Summation iBlaze Form Fields Version 3.0

Field	Data Type	Table (E-table or Stdtable)	Description/Purpose
APPLICAT	Note (Read-Only)	E-table only	The program/application that is launched when an eDoc , eMail , or eMail Attachment is opened.
ATTACHMT	Multi-Entry (Read-Only)	E-table and Stdtable	This is a legacy field. In previous versions of CT Summation iBlaze, this field contained the path and file name of documents or other electronic files associated with the current record.
ATTCHIDS	Multi-Entry (Read-Only)	E-table only	The DocID of attached documents.
ATTITLE	Note (Read-Only)	E-table only	The file name of an e-mail attachment.
ATTRANGE	Note (Read-Only)	E-table and Stdtable	Contains the DocID or BegDoc# numbers for documents physically attached to the current record.
ATTYNOTE	Note	E-table and Stdtable	Notes about the document.
AUTHOR	Multi-Entry	E-table and Stdtable	Names of the document's author(s).
AUXID	Note	E-table only	Alternate document ID field.
BATESRNG	Note	E-table and Stdtable	The BATESRNG field contains the range of Bates numbers that make up the document.
BCC	Multi-Entry (Read-Only)	E-table only	Names of the individuals who were blind-copied (bcc'd) on the e-mail.
BEGDOC#	Note	Stdtable only	Document ID of the first page of document. Used for Bates stamps or other unique IDs. This field is used in the Stdtable .
BODY	Note (Read-Only)	E-table only	Contents of the body of the e-mail.
CASEFLD	Multi-Entry	E-table and Stdtable	Used by Summation to Identify Case Folders assigned to a document when using the Tagging and Foldering feature. <i>This field should not be edited by users.</i>
CC	Multi-Entry (Read-Only)	E-table and Stdtable	Names of the individuals who were copied (cc'd) on the e-mail or document.
COMPANIE	Multi-Entry	E-table only	Used to identify companies whose names appear in the document.
DATECRTD	Date (Read-Only)	E-table only	Used to identify the date that an attached document was created, typically an e-mail.
DATERCVD	Date (Read-Only)	E-table only	Used to identify the date that an e-mail was received.
DATESENT	Date (Read-Only)	E-table only	Used to identify the date that an e-mail was sent.
DATESVD	Date (Read-Only)	E-table only	Used to identify the date that an attached document was last saved.

AD Summation IBlaze Form Fields Version 3.0

Field	Data Type	Table (E-table or Stdtable)	Description/Purpose
DCVER	Text 15	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
DEPEXH#	Multi-Entry	E-table and Stdtable	Number the document had during a deposition.
DEPNAME	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
DEPOID	Note	Stdtable only	Contains the name of the deponent that the current document was used as an exhibit for. May also contain the file name of a transcript associated with the database record if you want to be able to zoom into the transcript from the record.
DEPOIDS	Multi-Entry	E-table only	Contains the name(s) of deponents that the current document was used as an exhibit for. May also contain the file name of a transcript associated with the database record if you want to be able to zoom into the transcript from the record.
DEPTITLE	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
DOCDATE	Date	E-table and Stdtable	Date on document.
DOCID	Note	E-table only	The document ID of the document. This may be the same as the beginning Bates number or it may be a different number assigned by the user. The values in this field should be unique.
DOCLINK	Note (Read-Only)	E-table and Stdtable	Used to link a document to the database record. You can use the full or relative path for eDocs and eMail Attachments . Special Function Field Alt+L Displays linked record.
DOCTITLE	Note	E-table and Stdtable	Contains the title of the document.
DOCTYPE	Note	E-table and Stdtable	Type of document. For example, <i>letter</i> or <i>contract</i> .
DOCTYPES	Multi-Entry	E-table and Stdtable	Same as the DOCTYPE field but allows multiple document types.
ENDDOC#	Note	Stdtable only	Identification number for the last page of a document. Use for Bates stamps or other unique IDs.
ESTDATE	Note	E-table and Stdtable	Can be used to identify instances where the date in the DOCDATE field is an assumed date rather than an actual date.
ESTPGCNT	Integer	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
FILEEXT	Text 5	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
FILESIZE	Integer	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>

AD Summation IBlaze Form Fields Version 3.0

Field	Data Type	Table (E-table or Stdtable)	Description/Purpose
FOLDER	Note (Read-Only)	E-table and Stdtable	Name of the folder in the PST file where the e-mail was maintained. <i>This field should not be edited by users.</i>
FOLDERID	Note	E-table only	The unique system identification number for the folder in the PST file. <i>This field should not be edited by users.</i>
FOLDERS	Multi-Entry	E-table and Stdtable	Stores the Folders that a database summary is a member of. <i>This field should not be edited by users.</i>
FROM	Note (Read-Only)	E-table only	The name/e-mail address of the person who sent the e-mail.
GROUPFLD	Multi-Entry	E-table and Stdtable	Used by Summation to Identify Group Folders assigned to a document when using the Tagging and Foldering feature. <i>This field should not be edited by users.</i>
HASHCODE	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
HASIMAGE	Text 4	E-table and Stdtable	This is a legacy field that was used to indicate that an imaged version of the document is available. The #IMAGE field is now used for this purpose.
HEADER	Note	E-table only	The internet header information for e-mail sent through the internet.
HTMLBODY	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
IBLZVER	Text 15	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
IMPMTHD	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
IMPRTNCE	Text 10	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
IMPTRNO	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
INTMSGID	Note	E-table only	Internet message identification number.
ISSUES	Multi-Entry	E-table and Stdtable	Issues mentioned in or pertaining to the document.
LOCATION	Note	E-table and Stdtable	Identification of the location of the document (for example, <i>box</i> or <i>office</i>).
MEDIA	Note (Read-Only)	E-table only	Used to identify the type of media for an attachment. When loading eDocs , this field will be filled in with either eMail , Attachment , or eDoc . This field is required for loading electronic documents and attachments.
MENTIONS	Multi-Entry	E-table and Stdtable	Names of people or entities mentioned in the document.
MSGID	Note	E-table only	The unique system identification number for the e-mail message.

AD Summation IBlaze Form Fields Version 3.0

Field	Data Type	Table (E-table or Stdtable)	Description/Purpose
NAMES	Multi-Entry	E-table and Stdtable	Can be used to display the names of people or entities related to the document.
NUMATTCH	Integer (Read-Only)	E-table only	The number of attachments.
OTHERIDS	Multi-Entry (Read-Only)	E-table only	Document ID of other documents related to the document described in the current summary.
PARENTID	Note (Read-Only)	E-table only	The DocID for the parent e-mail or document that has an attachment associated with it.
PASSWORD	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
PGCOUNT	Integer	E-table and Stdtable	The total number of pages in the document.
PRIORITY	Note	E-table and Stdtable	Ranking of importance of a document.
PRIVLEGE	Multi-Entry	E-table and Stdtable	Pertaining to the privilege of a document.
PRIVRSN	Multi-Entry	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
PRODAS	Note	E-table and Stdtable	Used by Summation Production Tools to identify the version of the document used for production. <i>This field should not be edited by users.</i>
PRODIDS	Multi-Entry	E-table and Stdtable	Used by Summation Production Tools to track the production history of a document. <i>This field should not be edited by users.</i>
PRODNO	Note	E-table and Stdtable	Used by Summation to track the production history of a document. <i>This field should not be edited by users.</i>
PRPRTIES	Multi-Entry	E-table and Stdtable	Characteristics of the document. For example: <i>incomplete, illegible, or annotated.</i>
PRSNLFLD	Multi-Entry	E-table only	Used by CT Summation to Identify Personal Folders assigned to a document when using the Tagging and Foldering feature. <i>This field should not be edited by users.</i>
PWDPRCT	Text 1	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
READ	Text 1	E-table only	Tracks whether e-mail was marked as read.
RECIP	Multi-Entry	E-table and Stdtable	Lists the people who received the document.
REVIEWER	Note	E-table and Stdtable	Individual reviewing the document.
SOURCES	Multi-Entry	E-table and Stdtable	Source(s) of the document.

AD Summation IBlaze Form Fields Version 3.0

Field	Data Type	Table (E-table or Stdtable)	Description/Purpose
STOREID	Note	E-table only	Unique system identifier for the info store (the source of the e-mail data).
SUBJECT	Note (Read-Only)	E-table only	Contents of the Subject field in an e-mail.
SUMMARY	Note	E-table and Stdtable	Summary of the document.
TIMERCVD	Time	E-table only	Time e-mail was received.
TIMESENT	Time	E-table only	Time e-mail was sent.
TO	Multi-Entry (Read-Only)	E-table only	Individual(s) e-mail was sent to.
TOTAL	Integer	E-table and Stdtable	Used to calculate column totals.
TRIALX#	Note	E-table and Stdtable	Trial exhibit number.
UTIME	Time	E-table only	Universal time.
WITNAME	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
WITNESS	Multi-Entry	E-table and Stdtable	Identification of witnesses the document will be used for.
WITTITLE	Note	E-table only	Complies with the EDRM Model. <i>This field should not be edited by users.</i>
XTRADATE	Date	E-table only	Extra date field.
XTRAMULT	Multi-Entry	E-table only	Extra multi-entry field.
XTRANOTE	Note	E-table only	Extra note field.